

October 7, 2025

Dear Neighbor,

We are writing to notify you that Kerr-McGee Oil & Gas Onshore LP, a subsidiary of Oxy USA Inc., is preparing to submit an application for a Weld County Oil and Gas Location Assessment (WOGLA) for a project in your community. In our commitment to being a good neighbor, we provide frequent and transparent information, seek community feedback, safeguard the environment, and protect the health and safety of employees and communities.

Description of the project

The proposed WINDFLOWER OGDP project, as described in the following pages, consists of 44 oil and natural gas wells and a production facility. The timeline for development is based on obtaining the required permits and drilling rig availability. At this time, we estimate that drilling will start sometime between May and August 2027. However, we commit to keeping you updated throughout the permitting process and providing a detailed timeline before beginning construction. You can find project updates at www.OxyColoradoStakeholder.com/project-updates.

Standard practices and mitigation strategies

Our standard practices align with the guidelines of Weld County, the Energy & Carbon Management Commission (ECMC), and the Colorado Department of Public Health and Environment (CDPHE). We carefully planned this location's development and mitigation techniques to minimize any temporary impacts from our operations. Currently, mitigations during development include a robust traffic management plan and continuous sound and air monitoring. Note: The ECMC was known as the Colorado Oil and Gas Conservation Commission (COGCC) prior to July 2023.

Our team members will continue to work diligently to plan construction and operations with you in mind. We welcome your feedback and can be contacted anytime for questions and comments by email, phone, or mail. We will also consider all reasonable mitigation measures proposed to minimize adverse impacts of the proposed oil and gas location.

Next steps

This project must undergo a comprehensive permitting process at both the local and state level. We will keep our website updated, and you will be notified by mail throughout the process. Please reach out to us or Weld County to discuss this project or to set up a meeting. We look forward to working with you.


Oxy Stakeholder Relations

1099 18th Street, Suite 700
Denver, CO 80202
866.248.9577
ColoradoStakeholder@oxy.com
www.OxyColoradoStakeholder.com

New Energy Development



Project Location



Pad Name	Parcel #	Location	Disturbed Acreage	After Interim Reclamation
Windflower	055125000012	S1/2 SECTION 25, TOWNSHIP 8N, RANGE 65W, 6TH P.M.	30.00 acres (During development)	12.54 acres (For life of wells)

Notification Zone



NOTIFICATION ZONE DRAWING

WINDFLOWER PAD

S1/2 SECTION 25, TOWNSHIP 8 NORTH, RANGE 65 WEST, 6TH P.M., WELD COUNTY, COLORADO

ID	BUILDING UNIT NUMBER	BUILDING UNIT DISTANCE	ROILDING	BUILDING DISTANCE		OWNER	MAILING ADDRESS	MAIL CITY	MAIL STATE	MAIL ZIP
PO		-	-		055125000012	GREEN RANCH LLC	4426 TRAVIS RD	FORT COLLINS	co	805249647
P1		-	-		055136100016	GALE J. & VALERIE A. MOODY	PO BOX 210	EATON	co	806150210
P2		-	-		055136200019	GALE J. & VALERIE A. MOODY	PO BOX 210	EATON	co	806150210
P3		-	-		055136200018	OWL CREEK RESERVOIR COMPANY	PO BOX 210	EATON	co	806150210
P4		-	-		055136100017	GALE J. & VALERIE A. MOODY	PO BOX 210	EATON	co	806150210
P5		-	-		055136200020	GALE J. & VALERIE A. MOODY	PO BOX 210	EATON	co	806150210
P6		-	-		054930000001	RANDALL CLARK STRAIN	44033 COUNTY ROAD 49	AULT	co	806109309
P7		-	B1	±19731 E	054931200013	BARBARA LYNN HARRIS	42992 COUNTY ROAD 49	AULT	co	806109011
P8		-	-		054931200014	WESTON & HANNAH HAGER	1337 CIMARRON CIR	EATON	co	806158835

LEGEND

PROPERTY LINE

PROPOSED OIL & GAS LOCATION

1041 WOGLA ZONE (2000' BUFFER)

SCHOOL PARCEL

---- COUNTY ROAD RIGHT-OF-WAY
---- FUTURE COUNTY ROAD RIGHT-OF-WAY
---- RESERVED ROW BY RESOLUTION

EXISTING BUILDING

RESIDENTIAL BUILDING UNIT
NON-RESIDENTIAL BUILDING UNIT

BUILDING

BUILDING UNIT

P1 PARCEL

SHEET 2 OF 2



LOVELAND OFFICE
LOVELAND OFFICE
6706 North Franklin Avenus
Loveland, Colonada 80518
Phone 970-772-4311
Phone 970-772-4312

DATE SURVEYED: DATE: DRAFTER: REVISED: 5/9/25 7/11/25 JAC 8/27/25

DATA SOURCES:
- AERIAL COURTESY OF NAIP.

PREPARED FOR:

Kerr-McGee Oil & Gas Onshore LP



We strive to make our activities compatible with the surrounding community and use various mitigation techniques to reduce the temporary impacts associated with development. Our team designs each location after careful consideration of the area's specific attributes. Although some of our operations are conducted 24/7, we aim to minimize non-essential work during the night. For each well pad, we deploy the following strategies to mitigate possible impacts including:

Our Best Practices and Mitigation Measures

Noise Light



We use upgraded drilling rigs with noise reducing features and quiet hydraulic fracturing technology. These features reduce the noise from our operations.



We use light-emitting diode (LED) lights strategically oriented away from homes, making our operations less visible to our neighbors.

Odor



To counteract any potential hydrocarbon odor during our drilling operations, we use low-aromatic, synthetic drilling fluid or proactively add an odor neutralizer to the drilling fluid system.

Dust



We work to mitigate dust by applying dust suppression to the roads as needed. Various techniques include installing tracking pads and sediment traps, hydro mulching and/or hydroseeding topsoil piles, seeding disturbed soils, and placing and compacting a gravel layer on the working pad surfaces and access roads.




Our Best Practices and Mitigation Measures


Air Quality

To ensure the well-being of you, your family, and those living and working near our operations, we take action to reduce emissions and monitor air quality.

Reducing Emissions

To reduce greenhouse gas emissions and utilize the valuable energy resources we produce, we select equipment and design our locations and procedures to minimize emissions. As you can see from the graph below, we have been successful in our efforts.





- 1. Oxy is the first oil and gas company in the United States to endorse The World Bank's Zero Routine Flaring by 2030 initiative. In Colorado, we have already achieved zero routine flaring.
- 2. We keep emissions low by adhering to Colorado Department of Public Health and Environment (CDPHE) and the Air Quality Control Commission (AQCC) regulations. We run our drilling and completions engines using a method that's approved by state environmental rules, specifically Regulation 7 Part B. VI.E.1. Even though the use practices included in the rule are designed for ozone season, we follow these use practices all year long in our operations to help protect air quality.
 - https://www.coloradosos.gov/CCR/Upload/NoticeOfRulemaking/ProposedRuleAttach2024-00086.doc
- 3. Our innovative production facilities reduce air emissions in several ways. First, by eliminating oil tanks, we eliminate a major source of emissions at the site, especially those that contribute to ground-level ozone and air pollution. Transporting oil off-site through a pipeline also helps reduce emissions by cutting down on the number of trucks needed for hauling. Lastly, we use compressed air to operate control devices that regulate pressure, flow, temperature, and liquid levels across more than 90% of production. Oxy has also eliminated gas driven compressor engines from permanent facility designs and adopted electrification across sites. We have extensive automation in place that ensures environmental controls are operational while facilities are active. Additionally, during ozone season, we implement extra measures such as turning off heaters in the summer to further reduce ozone forming emissions.

These efforts, and others, have made Oxy the lowest-emitting operator in the DJ Basin. We have already met and exceeded CDPHE's targets for reducing carbon dioxide equivalent (CO2e) and nitrogen oxides (Nox) emissions. The targets help measure and reduce the environmental impact of our activities, protecting community health and advancing our long-term commitment to sustainability.



Our Best Practices and Mitigation Measures

Monitoring Emissions

We take the protection of air quality seriously throughout every phase of development.

During drilling and completions, independent third-party experts conduct continuous air monitoring using a combination of proven and cutting-edge technologies, such as weather stations, hydrocarbon analyzers, and advanced sampling tools, to ensure the accuracy of collected data and provide meaningful insights into local environmental conditions. Strategically placed air canisters also supplement monitoring station data. These air samples are collected and analyzed according to the Environmental Protection Agency (EPA) standards, with results compared against CDPHE health guideline values.

Air monitoring data is collected continuously and tracked 24/7 by our Integrated Operations Center (IOC), which ensures timely and effective responses. Our monitoring program includes clearly defined response and investigation levels to safeguard the health, safety, and welfare of nearby communities, our employees, and the environment.

To further reduce emissions near our production facilities, our in-house team conducts regular leak detection and repair inspections. During the production phase, trained personnel use handheld infrared cameras to inspect each site. We also deploy infrared-equipped drones and perform frequent audio, visual, and olfactory inspections to identify and address potential leaks quickly and thoroughly.

Our air monitoring program is approved by CDPHE and enforced by the Energy and Carbon Management Commission (ECMC), with monthly reports submitted to both agencies. Since 2020, we've collected over 11,500 samples - all well below the CDPHE Health Guidance Values of 9 Parts Per Billion. These monthly reports are publicly accessible and can be viewed here.

https://oitco.hylandcloud.com/CDPHERMPublicAccess/index.html

Groundwater Protection

We conduct baseline water-quality sampling and construct double-walled produced water sumps and secondary containment for operations. Sensors between the walls of the water sumps and additional automation allow us to remotely monitor fluid levels and remotely shut in the wells if we detect an issue.





Our Best Practices and Mitigation Measures

Traffic Management Plan

One part of the comprehensive permitting process is developing a traffic management plan. This includes specific routes for all traffic coming to and leaving the proposed project locations. To access the locations, drivers will utilize the roads shown below. Speed limits will be reduced to 10 mph on the access road and 5 mph once vehicles reach the well pad/facility.

We reduce traffic as much as possible through oil transfer and Water-On-Demand systems. The oil produced from our horizontal locations is transported off-site through a pipeline, eliminating the need for trucks. We transport the water used in hydraulic fracturing through our innovative Water-On-Demand pipeline system, further reducing truck traffic. Since its inception in 2012, these technologies have enabled us to eliminate 60 million miles of truck traffic from the roads in Weld County, reducing emissions, dust, road wear, and inconvenience to our neighbors. This system also mitigates our surface footprint by significantly reducing the tanks needed for water storage onsite during well completion. At this location, we estimate that our Water-On-Demand system will eliminate 444,355 truck trips.



Phases of Energy Development

For more information, please visit www.OxyColoradoStakeholder.com/Oil-and-Gas-101



Pad Construction (30-45 days per pad)






Standard construction equipment . prepares the well site. A wall may be installed to reduce or minimize noise and light during development.

Surface Casing Set (1-2 days per well)





A drilling rig begins the underground construction process by installing steel pipe and cement (surface casing) to protect groundwater. Surface casing is set at least 50' below the aquifer, typically about 1,5000'+ below the surface.

Horizontal Drilling (4-6 days per well)



steel casing and cement are installed.

A production rig arrives and drills to a depth of 7,000 to 8,000 feet. The horizontal portion of the wellbore can extend more than two miles. Additional layers of protective

Well Completions (6-9 days per well)

Understanding

the 1940s. Fluid is pumped over a mile below the earth's surface under pressure to create hairline fractures in the rocks.

Flowback: After fracturing, the wells are opened, and oil and gas flow into the mobile production facility.

Hydraulic Fracturing: A

safe, highly engineered

technology developed in

Well clean-out and Tubing: The wells are cleaned out to remove excess sand and install the production tubing.

Production Facility Construction (30-45 days per facility)





Production facilities are constructed adjacent to the wells to collect and separate the oil, natural gas, and water that are produced. Facility production is 30-45 days of work, completed in stages over about four months.

Reclaim Well Site (60 days per pad)

ADHAR KALARKADAK





Once development phases are complete, the pad is reclaimed to the largest extent possible to match the existing landscape. Each well will produce energy vital to the health and welfare of our communities for decades to come.

Contacts





Macey Zientek

Stakeholder Relations Analyst 1099 18th Street, Suite 700, Denver, CO 80202 Office: 720.929.3165

> <u>Coloradostakeholder@oxy.com</u> www.OxyColoradoStakeholder.com



Oxy Integrated Operations Center (IOC) 970.515.1500

Real-time monitoring of wells, water tanks, and production facilities
24 hours a day, 365 days a year



Weld County Oil and Gas Energy Department

970.400.3580 | oged@weld.gov

https://www.weld.gov/Government/Departments/ Oil-and-Gas-Energy

For information about this project, please contact us regarding WINDFLOWER WOGLA



Energy & Carbon Management Commission (ECMC)

303.894.2100

https://ecmc.colorado.gov/

If you would like translation, please contact us at: coloradostakeholder@oxy.com or 866.248.9577

Si desea una traducción, comuníquese con nosotros a: coloradostakeholder@oxy.com o al 866.248.9577

Nếu bạn muốn dịch, vui lòng liên hệ với chúng tôi theo địa chỉ: coloradostakeholder@oxy.com hoặc số 866.248.9577

如果您需要翻译,请联系我们:coloradostakeholder@oxy.com 或 866.248.9577

번역이 필요하시면 coloradostakeholder@oxy.com 또는 866.248.9577로 문의해 주세요.